

Date:2025-02-07

Ticket No.: 0

Batch Size: 1.00

Time:13:46

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 0

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Water Details:									
Target:	0.0 gal,	0.0 lb	Actual:	0.0 gal,	0.0 lb		Variance:	0.00%	
Water Trim:	0.0 gal,	0.0 lb	Water Added:	0 gal,	0.0 lb		Addable Water:	55 gal,	458.1 lb
W/C Ratio:	0.00		Max Water:	55 gal,	458.1 lb				
Total Weight:		0 lb					Ticket: 0		

[MANUAL]

Date: 2025-02-07
Ticket No.: 42
Batch Size: 1.00

Time: 13:57
Truck No.: N/A

Mix No.: TEST Product: Test for simulator Plant: 1 Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	3100 lb	* 178.28%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:	43.8 gal,	365.0 lb	Actual:	43.8 gal,	365.0 lb	Variance:	0.00%
Water Trim:	0.0 gal,	0.0 lb	Water Added:	0 gal,	0.0 lb	Addable Water:	11 gal, 93.2 lb
W/C Ratio:	0.55		Max Water:	55 gal,	458.1 lb		
Total Weight:		7698 lb	Mixing Time:	4		Ticket: 42	

Date:2025-02-07

Ticket No.: 43

Batch Size: 1.00

Time:13:58

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5803 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 43

Date:2025-02-07

Ticket No.: 44

Batch Size: 1.00

Time:13:58

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1200 lb	* 7.72%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	240 lb	7.62%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5918 lb

Actual: 44.7 gal, 372.2 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.29%

Addable Water: 10 gal, 85.9 lb

Ticket: 44

Date:2025-02-07Ticket No.: 45Batch Size: 1.00

Time:13:59Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1340 lb	* 20.40%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:6099 lb

Actual:43.1 gal,359.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,98.9 lb

Ticket: 45

Date:2025-02-07

Ticket No.: 46

Batch Size: 1.00

Time:13:59

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1360 lb	* 22.30%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.58

Total Weight: 5951 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 46

Date:2025-02-07

Ticket No.: 47

Batch Size: 1.00

Time:14:00

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5808 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 47

Date:2025-02-07

Ticket No.: 49

Batch Size: 1.00

Time:14:01

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5591 lb

Actual: 44.5 gal, 370.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.30%

Addable Water: 10 gal, 87.5 lb

Ticket: 49

Date:2025-02-07

Ticket No.: 48

Batch Size: 1.00

Time:14:00

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.54

Total Weight:5949 lb

Actual:43.1 gal,359.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,98.9 lb

Ticket: 48

Date:2025-02-07Time:14:02
Ticket No.: 50Truck No.: N/A
Batch Size: 1.00

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1160 lb	* 4.32%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:
Target: 43.1 gal, 359.3 lbActual: 43.1 gal, 359.3 lbVariance: 0.00%
Water Trim: 0.0 gal, 0.0 lbWater Added: 0 gal, 0.0 lbAddable Water: 12 gal, 98.9 lb
W/C Ratio: 0.56Max Water: 55 gal, 458.1 lb
Total Weight: 5894 lbMixing Time: 4Ticket: 50

Date:2025-02-07Ticket No.: 51Batch Size: 1.00

Time:14:02Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1180 lb	* 6.02%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5656 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket: 51

Date:2025-02-07

Ticket No.: 52

Batch Size: 1.00

Time:14:03

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1160 lb	* 4.32%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5846 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 52

Date:2025-02-07

Ticket No.: 53

Batch Size: 1.00

Time:14:03

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5838 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 53

Date:2025-02-07

Ticket No.: 54

Batch Size: 1.00

Time:14:04

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5943 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 54

Date:2025-02-07

Ticket No.: 56

Batch Size: 1.00

Time:14:05

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5788 lb

Actual: 43.7 gal, 363.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 94.5 lb

Ticket: 56

Date:2025-02-07

Ticket No.: 55

Batch Size: 1.00

Time:14:04

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	230 lb	3.14%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.52

Total Weight: 6034 lb

Actual: 43.1 gal, 359.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 12 gal, 98.9 lb

Ticket: 55

Date:2025-02-07

Ticket No.: 58

Batch Size: 1.00

Time:14:06

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1320 lb	* 18.60%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	245 lb	9.87%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.53

Total Weight: 6278 lb

Actual: 44.7 gal, 372.2 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.29%

Addable Water: 10 gal, 85.9 lb

Ticket: 58

Date:2025-02-07

Ticket No.: 57

Batch Size: 1.00

Time:14:06

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1120 lb	* 0.54%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	240 lb	7.62%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5686 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 57

Date:2025-02-07

Ticket No.: 59

Batch Size: 1.00

Time:14:07

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5823 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 59

Date:2025-02-07

Ticket No.: 61

Batch Size: 1.00

Time:14:08

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	220 lb	-0.45%		
Cement 2	220 lb	0 lb	2.00/ 1.00	222	222	215 lb	-3.15%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5939 lb

Actual: 43.7 gal, 363.9 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 94.3 lb

Ticket: 61

Date:2025-02-07

Ticket No.: 60

Batch Size: 1.00

Time:14:07

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1180 lb	* 6.12%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5706 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 60

Date:2025-02-07

Ticket No.: 62

Batch Size: 1.00

Time:14:08

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1340 lb	* 20.40%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6066 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 62

Date:2025-02-07

Ticket No.: 63

Batch Size: 1.00

Time:14:09

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1380 lb	* 23.88%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.58

Total Weight: 6071 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 63

Date:2025-02-07

Ticket No.: 64

Batch Size: 1.00

Time:14:09

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	240 lb	7.62%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5746 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 64

Date:2025-02-07

Ticket No.: 65

Batch Size: 1.00

Time:14:10

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5826 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 65

Date:2025-02-07

Ticket No.: 66

Batch Size: 1.00

Time:14:11

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5938 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 66

Date:2025-02-07

Ticket No.: 68

Batch Size: 1.00

Time:14:12

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5783 lb

Actual: 43.7 gal, 363.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 94.5 lb

Ticket: 68

Date:2025-02-07

Ticket No.: 67

Batch Size: 1.00

Time:14:11

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1340 lb	* 20.50%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:6162 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket: 67

Date:2025-02-07Ticket No.: 69Batch Size: 1.00

Time:14:12Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5958 lb

Actual:44.1 gal,367.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.32%

Addable Water:11 gal,90.5 lb

Ticket: 69

Date:2025-02-07

Ticket No.:70

Batch Size:1.00

Time:14:13

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:5831 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:70

Date:2025-02-07

Ticket No.:71

Batch Size:1.00

Time:14:13

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1200 lb	* 7.72%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.7 gal,363.7 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5786 lb

Actual:44.7 gal,372.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,86.1 lb

Ticket:71

Date:2025-02-07

Ticket No.: 72

Batch Size: 1.00

Time:14:14

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1320 lb	* 18.49%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5906 lb

Actual: 44.7 gal, 372.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.29%

Addable Water: 10 gal, 86.1 lb

Ticket: 72

Date:2025-02-07

Ticket No.: 73

Batch Size: 1.00

Time:14:15

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	245 lb	9.87%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 6089 lb

Actual: 43.7 gal, 363.9 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 94.3 lb

Ticket: 73

Date:2025-02-07

Ticket No.:74

Batch Size:1.00

Time:14:15

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5803 lb

Actual:44.1 gal,367.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.32%

Addable Water:11 gal,90.5 lb

Ticket:74

Date:2025-02-07

Ticket No.:75

Batch Size:1.00

Time:14:16

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.5 gal,362.4 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5886 lb

Actual:44.5 gal,370.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.30%

Addable Water:10 gal,87.5 lb

Ticket:75

Date:2025-02-07Ticket No.: 77Batch Size: 1.00

Time:14:17Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1340 lb	* 20.50%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	240 lb	8.11%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:6194 lb

Actual:43.7 gal,363.9 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,94.3 lb

Ticket: 77

Date:2025-02-07

Ticket No.: 76

Batch Size: 1.00

Time:14:16

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	230 lb	3.14%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 5951 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 76

Date:2025-02-07

Ticket No.: 78

Batch Size: 1.00

Time:14:17

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5836 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 78

Date:2025-02-07

Ticket No.:79

Batch Size:1.00

Time:14:18

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	220 lb	-0.45%		
Cement 2	220 lb	0 lb	2.00/ 1.00	222	222	215 lb	-3.15%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5718 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:79

Date:2025-02-07

Ticket No.: 80

Batch Size: 1.00

Time:14:18

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5946 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 80

Date:2025-02-07Ticket No.: 81Batch Size: 1.00

Time:14:19Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 5849 lb

Actual: 43.1 gal, 359.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 12 gal, 98.9 lb

Ticket: 81

Date:2025-02-07

Ticket No.:82

Batch Size:1.00

Time:14:20

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5966 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:82

Date:2025-02-07

Ticket No.: 83

Batch Size: 1.00

Time:14:20

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5938 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 83

Date:2025-02-07

Ticket No.: 84

Batch Size: 1.00

Time:14:21

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5903 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 84

Date:2025-02-07

Ticket No.: 86

Batch Size: 1.00

Time:14:22

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1320 lb	* 18.49%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6106 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 86

Date:2025-02-07

Ticket No.: 85

Batch Size: 1.00

Time:14:21

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 6049 lb

Actual: 43.1 gal, 359.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 12 gal, 98.9 lb

Ticket: 85

Date:2025-02-07

Ticket No.: 87

Batch Size: 1.00

Time:14:22

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1320 lb	* 18.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6207 lb

Actual: 44.7 gal, 372.2 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.29%

Addable Water: 10 gal, 85.9 lb

Ticket: 87

Date:2025-02-07

Ticket No.: 88

Batch Size: 1.00

Time:14:23

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	245 lb	9.87%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.51

Total Weight:6009 lb

Actual:43.1 gal,359.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:12 gal,98.9 lb

Ticket: 88

Date:2025-02-07

Ticket No.: 89

Batch Size: 1.00

Time:14:24

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1320 lb	* 18.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	240 lb	7.62%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6006 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 89

Date:2025-02-07

Ticket No.: 90

Batch Size: 1.00

Time:14:24

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1520 lb	* 32.40%	3.40%	6.00 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	37	38 gal	* 2.70%		

Water Details:

Target: 43.0 gal, 358.2 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 6139 lb

Actual: 44.0 gal, 366.5 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.33%

Addable Water: 11 gal, 91.6 lb

Ticket: 90

Date:2025-02-07

Ticket No.: 91

Batch Size: 1.00

Time:14:25

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1120 lb	* 0.54%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 5958 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 91

Date:2025-02-07

Ticket No.: 92

Batch Size: 1.00

Time:14:25

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1340 lb	* 20.40%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 6046 lb

Actual: 44.5 gal, 370.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.30%

Addable Water: 10 gal, 87.5 lb

Ticket: 92

Date:2025-02-07Ticket No.: 93Batch Size: 1.00

Time:14:26Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	240 lb	8.11%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.5 gal,362.4 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5686 lb

Actual:44.5 gal,370.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.30%

Addable Water:10 gal,87.5 lb

Ticket: 93

Date:2025-02-07

Ticket No.:94

Batch Size:1.00

Time:14:26

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	220 lb	0 lb	2.00/ 1.00	222	222	215 lb	-3.15%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:5931 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:94

Date:2025-02-07

Ticket No.:95

Batch Size:1.00

Time:14:27

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1400 lb	* 25.67%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.7 gal,363.7 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5828 lb

Actual:43.7 gal,363.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:11 gal,94.5 lb

Ticket:95

Date:2025-02-07

Ticket No.: 96

Batch Size: 1.00

Time:14:28

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1180 lb	* 6.12%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5878 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 96

Date:2025-02-07

Ticket No.: 98

Batch Size: 1.00

Time:14:29

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.5 gal, 362.4 lb

Water Trim:0.0 gal, 0.0 lb

W/C Ratio:0.56

Total Weight:5708 lb

Actual:43.5 gal, 362.4 lb

Water Added:0 gal, 0.0 lb

Max Water:55 gal, 458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal, 95.8 lb

Ticket: 98

Date:2025-02-07

Ticket No.: 97

Batch Size: 1.00

Time:14:28

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1320 lb	* 18.60%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5908 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 97

Date:2025-02-07

Ticket No.: 99

Batch Size: 1.00

Time:14:29

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	240 lb	8.11%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5991 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 99

Date:2025-02-07

Ticket No.:100

Batch Size:1.00

Time:14:30

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5776 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:100

Date:2025-02-07

Ticket No.: 101

Batch Size: 1.00

Time:14:30

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1200 lb	* 7.72%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 5849 lb

Actual: 43.1 gal, 359.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 12 gal, 98.9 lb

Ticket: 101

Date:2025-02-07

Ticket No.: 102

Batch Size: 1.00

Time:14:31

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6116 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 102

Date:2025-02-07

Ticket No.: 103

Batch Size: 1.00

Time:14:32

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1360 lb	* 22.19%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5906 lb

Actual: 44.5 gal, 370.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.30%

Addable Water: 10 gal, 87.5 lb

Ticket: 103

Date:2025-02-07

Ticket No.: 104

Batch Size: 1.00

Time:14:32

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5658 lb

Actual: 43.5 gal, 362.4 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 95.8 lb

Ticket: 104

Date:2025-02-07

Ticket No.:105

Batch Size:1.00

Time:14:33

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1340 lb	* 20.29%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.5 gal,362.4 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5846 lb

Actual:44.5 gal,370.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.30%

Addable Water:10 gal,87.5 lb

Ticket:105

Date:2025-02-07

Ticket No.: 106

Batch Size: 1.00

Time:14:33

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1180 lb	* 6.12%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5906 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 106

Date:2025-02-07

Ticket No.: 107

Batch Size: 1.00

Time:14:34

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5974 lb

Actual: 43.1 gal, 359.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 12 gal, 98.9 lb

Ticket: 107

Date:2025-02-07

Ticket No.: 108

Batch Size: 1.00

Time:14:34

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1180 lb	* 6.02%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1120 lb	* 0.54%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5723 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 108

Date:2025-02-07

Ticket No.:109

Batch Size:1.00

Time:14:35

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1360 lb	* 22.30%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1180 lb	* 6.02%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1120 lb	* 0.54%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:5871 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:109

Date:2025-02-07Ticket No.: 110Batch Size: 1.00

Time:14:36Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.7 gal,363.7 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5738 lb

Actual:43.7 gal,363.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,94.5 lb

Ticket: 110

Date:2025-02-07

Ticket No.: 111

Batch Size: 1.00

Time:14:36

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1380 lb	* 23.99%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.58

Total Weight: 5871 lb

Actual: 44.7 gal, 372.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.29%

Addable Water: 10 gal, 86.1 lb

Ticket: 111

Date:2025-02-07

Ticket No.: 112

Batch Size: 1.00

Time:14:37

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	240 lb	7.62%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 6078 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 112

Date:2025-02-07

Ticket No.: 114

Batch Size: 1.00

Time:14:38

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.58

Total Weight: 5891 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 114

Date:2025-02-07

Ticket No.:113

Batch Size:1.00

Time:14:37

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1340 lb	* 20.40%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:6082 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket:113

Date:2025-02-07

Ticket No.:116

Batch Size:1.00

Time:14:39

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1260 lb	* 9.76%	3.40%	4.97 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:44.0 gal,366.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:5951 lb

Actual:45.0 gal,374.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.27%

Addable Water:10 gal,83.5 lb

Ticket:116

Date:2025-02-07Ticket No.: 115Batch Size: 1.00

Time:14:38Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1260 lb	* 9.76%	3.40%	4.97 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:44.0 gal,366.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5728 lb

Actual:44.0 gal,366.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:11 gal,91.8 lb

Ticket: 115

Date:2025-02-07

Ticket No.: 118

Batch Size: 1.00

Time:14:40

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5976 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 118

Date:2025-02-07

Ticket No.: 117

Batch Size: 1.00

Time:14:39

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1320 lb	* 18.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6006 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 117

Date:2025-02-07

Ticket No.:119

Batch Size:1.00

Time:14:41

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5807 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:119

Date:2025-02-07

Ticket No.:121

Batch Size:1.00

Time:14:42

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1160 lb	* 4.32%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5906 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:121

Date:2025-02-07

Ticket No.: 120

Batch Size: 1.00

Time:14:41

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	240 lb	8.11%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	245 lb	9.87%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.53

Total Weight: 5766 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 120

Date:2025-02-07

Ticket No.:123

Batch Size:1.00

Time:14:43

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1320 lb	* 18.49%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5923 lb

Actual:44.1 gal,367.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.32%

Addable Water:11 gal,91.2 lb

Ticket:123

Date:2025-02-07

Ticket No.:122

Batch Size:1.00

Time:14:42

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:6083 lb

Actual:44.1 gal,367.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.32%

Addable Water:11 gal,91.2 lb

Ticket:122

Date:2025-02-07

Ticket No.:125

Batch Size:1.00

Time:14:44

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5968 lb

Actual:44.1 gal,367.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.32%

Addable Water:11 gal,91.2 lb

Ticket:125

Date:2025-02-07

Ticket No.:124

Batch Size:1.00

Time:14:44

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5823 lb

Actual:44.1 gal,367.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.32%

Addable Water:11 gal,91.2 lb

Ticket:124

Date:2025-02-07

Ticket No.:126

Batch Size:1.00

Time:14:45

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1180 lb	* 6.12%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1380 lb	* 23.99%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:6128 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket:126

Date:2025-02-07

Ticket No.: 127

Batch Size: 1.00

Time:14:45

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5916 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 127

Date:2025-02-07

Ticket No.: 128

Batch Size: 1.00

Time:14:46

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5716 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 128

Date:2025-02-07

Ticket No.:130

Batch Size:1.00

Time:14:47

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1200 lb	* 4.53%	3.40%	4.74 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1320 lb	* 18.60%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.7 gal,364.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5986 lb

Actual:44.7 gal,372.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.29%

Addable Water:10 gal,85.5 lb

Ticket:130

Date:2025-02-07

Ticket No.: 129

Batch Size: 1.00

Time:14:46

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1380 lb	* 24.10%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1400 lb	* 25.67%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 358.6 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 6338 lb

Actual: 44.1 gal, 367.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.32%

Addable Water: 11 gal, 91.2 lb

Ticket: 129

Date:2025-02-07

Ticket No.: 132

Batch Size: 1.00

Time:14:48

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1400 lb	* 25.67%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 6178 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 132

Date:2025-02-07

Ticket No.: 131

Batch Size: 1.00

Time:14:47

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1200 lb	* 7.72%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5856 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 131

Date:2025-02-07

Ticket No.:133

Batch Size:1.00

Time:14:49

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5763 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:133

Date:2025-02-07

Ticket No.:134

Batch Size:1.00

Time:14:49

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5694 lb

Actual:43.1 gal,358.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,99.5 lb

Ticket:134

Date:2025-02-07

Ticket No.:135

Batch Size:1.00

Time:14:50

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5927 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:135

Date:2025-02-07

Ticket No.:136

Batch Size:1.00

Time:14:50

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1260 lb	* 9.76%	3.40%	4.97 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:44.0 gal,366.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:5776 lb

Actual:45.0 gal,374.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.27%

Addable Water:10 gal,83.5 lb

Ticket:136

Date:2025-02-07Ticket No.: 137Batch Size: 1.00

Time:14:51Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1320 lb	* 18.49%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.54

Total Weight:6017 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket: 137

Date:2025-02-07

Ticket No.: 139

Batch Size: 1.00

Time:14:52

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6006 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 139

Date:2025-02-07

Ticket No.:138

Batch Size:1.00

Time:14:51

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1180 lb	* 6.12%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5939 lb

Actual:43.1 gal,358.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,99.5 lb

Ticket:138

Date:2025-02-07

Ticket No.:140

Batch Size:1.00

Time:14:53

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:6083 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket:140

Date:2025-02-07

Ticket No.: 141

Batch Size: 1.00

Time:14:53

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1520 lb	* 32.40%	3.40%	6.00 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1180 lb	* 6.02%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	37	37 gal	0.00%		

Water Details:

Target: 43.0 gal, 358.2 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 6046 lb

Actual: 43.0 gal, 358.2 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 12 gal, 100.0 lb

Ticket: 141

Date:2025-02-07

Ticket No.:142

Batch Size:1.00

Time:14:54

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5986 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:142

Date:2025-02-07

Ticket No.:143

Batch Size:1.00

Time:14:54

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.53

Total Weight:6049 lb

Actual:43.1 gal,359.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,98.9 lb

Ticket:143

Date:2025-02-07

Ticket No.:144

Batch Size:1.00

Time:14:55

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:6087 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket:144

Date:2025-02-07

Ticket No.:146

Batch Size:1.00

Time:14:56

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5798 lb

Actual:44.1 gal,367.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.32%

Addable Water:11 gal,91.2 lb

Ticket:146

Date:2025-02-07

Ticket No.:145

Batch Size:1.00

Time:14:55

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1260 lb	* 13.21%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:6046 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:145

Date:2025-02-07

Ticket No.:147

Batch Size:1.00

Time:14:57

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1260 lb	* 9.76%	3.40%	4.97 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:44.0 gal,366.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5766 lb

Actual:45.0 gal,374.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.27%

Addable Water:10 gal,83.5 lb

Ticket:147

Date:2025-02-07

Ticket No.: 148

Batch Size: 1.00

Time:14:57

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1200 lb	* 7.72%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5796 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 148

Date:2025-02-07

Ticket No.: 149

Batch Size: 1.00

Time:14:58

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5986 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 149

Date:2025-02-07

Ticket No.: 151

Batch Size: 1.00

Time:14:59

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6016 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 151

Date:2025-02-07

Ticket No.:150

Batch Size:1.00

Time:14:58

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5803 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:150

Date:2025-02-07Time:14:59
Ticket No.: 152Truck No.: N/A
Batch Size: 1.00

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:
Target: 43.8 gal, 365.0 lbActual: 44.8 gal, 373.3 lbVariance: 2.28%
Water Trim: 0.0 gal, 0.0 lbWater Added: 0 gal, 0.0 lbAddable Water: 10 gal, 84.8 lb
W/C Ratio: 0.57Max Water: 55 gal, 458.1 lb
Total Weight: 6006 lbMixing Time: 4Ticket: 152

Date:2025-02-07

Ticket No.:153

Batch Size:1.00

Time:15:00

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	220 lb	-0.45%		
Cement 2	220 lb	0 lb	2.00/ 1.00	222	222	215 lb	-3.15%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:6034 lb

Actual:43.1 gal,358.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,99.5 lb

Ticket:153

Date:2025-02-07Ticket No.: 155Batch Size: 1.00

Time:15:01Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1320 lb	* 18.49%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5863 lb

Actual: 43.5 gal, 362.4 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 95.8 lb

Ticket: 155

Date:2025-02-07

Ticket No.: 154

Batch Size: 1.00

Time:15:01

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1120 lb	* 0.54%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5826 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 154

Date:2025-02-07

Ticket No.:156

Batch Size:1.00

Time:15:02

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1180 lb	* 6.12%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1360 lb	* 22.08%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5963 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:156

Date:2025-02-07

Ticket No.:158

Batch Size:1.00

Time:15:03

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5929 lb

Actual:43.7 gal,363.9 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,94.3 lb

Ticket:158

Date:2025-02-07

Ticket No.: 157

Batch Size: 1.00

Time:15:02

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 6149 lb

Actual: 43.1 gal, 359.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 12 gal, 98.9 lb

Ticket: 157

Date:2025-02-07Ticket No.: 160Batch Size: 1.00

Time:15:04Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1340 lb	* 20.50%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1300 lb	* 16.70%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:6139 lb

Actual:43.1 gal,359.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,98.9 lb

Ticket: 160

Date:2025-02-07Ticket No.: 159Batch Size: 1.00

Time:15:03Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1320 lb	* 18.60%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1200 lb	* 7.72%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5914 lb

Actual:43.1 gal,359.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:12 gal,98.9 lb

Ticket: 159

Date:2025-02-07

Ticket No.:162

Batch Size:1.00

Time:15:05

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1360 lb	* 22.30%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1320 lb	* 18.60%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:6066 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:162

Date:2025-02-07

Ticket No.:161

Batch Size:1.00

Time:15:05

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5786 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:161

Date:2025-02-07

Ticket No.:163

Batch Size:1.00

Time:15:06

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5982 lb

Actual:44.1 gal,367.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.32%

Addable Water:11 gal,90.5 lb

Ticket:163

Date:2025-02-07

Ticket No.:165

Batch Size:1.00

Time:15:07

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:5983 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket:165

Date:2025-02-07

Ticket No.: 164

Batch Size: 1.00

Time:15:06

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.58

Total Weight: 5751 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 164

Date:2025-02-07

Ticket No.: 166

Batch Size: 1.00

Time:15:07

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6248 lb

Actual: 44.7 gal, 372.2 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.29%

Addable Water: 10 gal, 85.9 lb

Ticket: 166

Date:2025-02-07

Ticket No.: 167

Batch Size: 1.00

Time:15:08

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1360 lb	* 22.30%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1380 lb	* 23.88%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.58

Total Weight: 6383 lb

Actual: 44.7 gal, 372.2 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.29%

Addable Water: 10 gal, 85.9 lb

Ticket: 167

Date:2025-02-07

Ticket No.: 169

Batch Size: 1.00

Time:15:09

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5758 lb

Actual: 43.7 gal, 363.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 94.5 lb

Ticket: 169

Date:2025-02-07

Ticket No.: 168

Batch Size: 1.00

Time:15:09

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	220 lb	-0.45%		
Cement 2	220 lb	0 lb	2.00/ 1.00	222	222	215 lb	-3.15%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5816 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket: 168

Date:2025-02-07

Ticket No.: 170

Batch Size: 1.00

Time:15:10

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5726 lb

Actual: 44.7 gal, 372.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.29%

Addable Water: 10 gal, 86.1 lb

Ticket: 170

Date:2025-02-07

Ticket No.: 171

Batch Size: 1.00

Time:15:10

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1200 lb	* 4.53%	3.40%	4.74 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.7 gal,364.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5966 lb

Actual:44.7 gal,372.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.29%

Addable Water:10 gal,85.5 lb

Ticket: 171

Date:2025-02-07

Ticket No.:172

Batch Size:1.00

Time:15:11

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1380 lb	* 23.99%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	230 lb	3.14%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:6091 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:172

Date:2025-02-07

Ticket No.:174

Batch Size:1.00

Time:15:12

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	220 lb	-0.45%		
Cement 2	220 lb	0 lb	2.00/ 1.00	222	222	215 lb	-3.15%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:6008 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket:174

Date:2025-02-07

Ticket No.: 173

Batch Size: 1.00

Time:15:11

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1320 lb	* 18.60%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz			
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz			
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz			
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5856 lb

Actual: 44.5 gal, 370.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.30%

Addable Water: 10 gal, 87.5 lb

Ticket: 173

Date:2025-02-07

Ticket No.:175

Batch Size:1.00

Time:15:13

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1180 lb	* 6.12%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5736 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:175

Date:2025-02-07

Ticket No.:176

Batch Size:1.00

Time:15:13

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1380 lb	* 23.88%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:6086 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:176

Date:2025-02-07

Ticket No.: 177

Batch Size: 1.00

Time:15:14

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1340 lb	* 20.50%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.7 gal,363.7 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5826 lb

Actual:44.7 gal,372.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,86.1 lb

Ticket: 177

Date:2025-02-07

Ticket No.:179

Batch Size:1.00

Time:15:15

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1340 lb	* 20.40%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,358.6 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.54

Total Weight:6189 lb

Actual:43.1 gal,358.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:12 gal,99.5 lb

Ticket:179

Date:2025-02-07

Ticket No.: 178

Batch Size: 1.00

Time:15:14

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5658 lb

Actual: 43.5 gal, 362.4 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 95.8 lb

Ticket: 178

Date:2025-02-07

Ticket No.: 181

Batch Size: 1.00

Time:15:16

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	240 lb	8.11%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5826 lb

Actual: 44.7 gal, 372.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.29%

Addable Water: 10 gal, 86.1 lb

Ticket: 181

Date:2025-02-07

Ticket No.: 180

Batch Size: 1.00

Time:15:15

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5938 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 180

Date:2025-02-07

Ticket No.: 182

Batch Size: 1.00

Time:15:17

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1140 lb	-0.70%	3.40%	4.50 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1320 lb	* 18.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.5 gal, 362.4 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5828 lb

Actual: 43.5 gal, 362.4 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 95.8 lb

Ticket: 182

Date:2025-02-07

Ticket No.: 184

Batch Size: 1.00

Time:15:18

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.7 gal,363.7 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:5668 lb

Actual:43.7 gal,363.7 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:11 gal,94.5 lb

Ticket: 184

Date:2025-02-07

Ticket No.: 183

Batch Size: 1.00

Time:15:17

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1220 lb	* 9.52%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.7 gal,363.7 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:5831 lb

Actual:44.7 gal,372.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,86.1 lb

Ticket: 183

Date:2025-02-07

Ticket No.:186

Batch Size:1.00

Time:15:19

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1200 lb	* 7.72%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5796 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:186

Date:2025-02-07

Ticket No.: 185

Batch Size: 1.00

Time:15:18

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5788 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 185

Date:2025-02-07Ticket No.: 188Batch Size: 1.00

Time:15:20Truck No.: N/A

Mix No.: TESTProduct: Test for simulatorPlant: 1Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.54

Total Weight:5889 lb

Actual:43.1 gal,359.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:12 gal,98.9 lb

Ticket: 188

Date:2025-02-07

Ticket No.: 187

Batch Size: 1.00

Time:15:19

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1120 lb	* 0.72%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1160 lb	* 4.22%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5678 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 187

Date:2025-02-07

Ticket No.: 189

Batch Size: 1.00

Time:15:21

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1280 lb	* 11.50%	3.40%	5.05 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 358.6 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 6048 lb

Actual: 44.1 gal, 367.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.32%

Addable Water: 11 gal, 91.2 lb

Ticket: 189

Date:2025-02-07

Ticket No.:191

Batch Size:1.00

Time:15:22

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	220 lb	-0.45%		
Cement 2	220 lb	0 lb	2.00/ 1.00	222	222	215 lb	-3.15%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.58

Total Weight:6031 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:191

Date:2025-02-07

Ticket No.: 190

Batch Size: 1.00

Time:15:21

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 5918 lb

Actual: 43.8 gal, 365.0 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 93.2 lb

Ticket: 190

Date:2025-02-07

Ticket No.:192

Batch Size:1.00

Time:15:22

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1260 lb	* 13.31%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	210 lb	-5.41%		
Cement 3	420 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5843 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:192

Date:2025-02-07

Ticket No.: 193

Batch Size: 1.00

Time:15:23

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1320 lb	* 18.49%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 6159 lb

Actual: 43.7 gal, 363.9 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 94.3 lb

Ticket: 193

Date:2025-02-07

Ticket No.:194

Batch Size:1.00

Time:15:23

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5876 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:194

Date:2025-02-07

Ticket No.: 195

Batch Size: 1.00

Time:15:24

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1180 lb	* 2.79%	3.40%	4.66 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.7 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.56

Total Weight: 5828 lb

Actual: 43.7 gal, 363.7 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 11 gal, 94.5 lb

Ticket: 195

Date:2025-02-07

Ticket No.:196

Batch Size:1.00

Time:15:25

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5898 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:196

Date:2025-02-07

Ticket No.:197

Batch Size:1.00

Time:15:25

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1200 lb	* 7.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1120 lb	* 0.54%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	240 lb	8.11%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	39 gal	0.00%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.55

Total Weight:5663 lb

Actual:43.8 gal,365.0 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:0.00%

Addable Water:11 gal,93.2 lb

Ticket:197

Date:2025-02-07

Ticket No.: 198

Batch Size: 1.00

Time:15:26

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1320 lb	* 18.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	245 lb	10.36%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	245 lb	9.87%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.52

Total Weight: 6309 lb

Actual: 43.7 gal, 363.9 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 0.00%

Addable Water: 11 gal, 94.3 lb

Ticket: 198

Date:2025-02-07

Ticket No.:200

Batch Size:1.00

Time:15:27

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1140 lb	* 2.52%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1180 lb	* 6.02%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.7 gal,363.9 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:6018 lb

Actual:44.7 gal,372.2 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.29%

Addable Water:10 gal,85.9 lb

Ticket:200

Date:2025-02-07

Ticket No.:199

Batch Size:1.00

Time:15:26

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5836 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:199

Date:2025-02-07

Ticket No.:202

Batch Size:1.00

Time:15:28

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1120 lb	* 0.63%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1240 lb	* 11.31%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:43.8 gal,365.0 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5806 lb

Actual:44.8 gal,373.3 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.28%

Addable Water:10 gal,84.8 lb

Ticket:202

Date:2025-02-07

Ticket No.: 201

Batch Size: 1.00

Time:15:27

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1360 lb	* 18.47%	3.40%	5.37 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1140 lb	* 2.43%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1180 lb	* 5.92%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	210 lb	-5.83%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.4 gal,361.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.57

Total Weight:5883 lb

Actual:44.4 gal,369.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:4

Variance:2.31%

Addable Water:11 gal,88.6 lb

Ticket: 201

Date:2025-02-07

Ticket No.:203

Batch Size:1.00

Time:15:29

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1240 lb	* 11.51%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1300 lb	* 16.80%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1280 lb	* 14.90%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	35.0 oz	* 2.94%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target:43.1 gal,359.3 lb

Water Trim:0.0 gal,0.0 lb

W/C Ratio:0.56

Total Weight:6118 lb

Actual:44.1 gal,367.6 lb

Water Added:0 gal,0.0 lb

Max Water:55 gal,458.1 lb

Mixing Time:3

Variance:2.32%

Addable Water:11 gal,90.5 lb

Ticket:203

Date:2025-02-07

Ticket No.: 205

Batch Size: 1.00

Time:15:30

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1280 lb	* 15.00%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1140 lb	* 2.33%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target: 43.8 gal, 365.0 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 5936 lb

Actual: 44.8 gal, 373.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.28%

Addable Water: 10 gal, 84.8 lb

Ticket: 205

Date:2025-02-07

Ticket No.: 204

Batch Size: 1.00

Time:15:29

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1440 lb	* 25.44%	3.40%	5.68 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1160 lb	* 4.32%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1240 lb	* 11.41%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1260 lb	* 13.11%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	240 lb	8.11%		
Cement 3	455 lb	0 lb	2.00/ 1.00	223	223	225 lb	0.90%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	36.0 oz	* 2.86%		
Admix 6			2.00/ 2.00	36.0	36.0	36.0 oz	0.00%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.7 gal, 363.9 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.55

Total Weight: 6118 lb

Actual: 44.7 gal, 372.2 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 4

Variance: 2.29%

Addable Water: 10 gal, 85.9 lb

Ticket: 204

[MANUAL]

Date: 2025-02-07
 Ticket No.: 207
 Batch Size: 1.00

Time: 15:34
 Truck No.: N/A

Mix No.: TEST Product: Test for simulator Plant: 1 Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1220 lb	* 6.27%	3.40%	4.82 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1300 lb	* 16.91%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1320 lb	* 18.49%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	31.0 oz	0.00%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	39	40 gal	* 2.56%		

Water Details:

Target:	43.8 gal,	365.0 lb	Actual:	44.8 gal,	373.3 lb	Variance:	2.28%
Water Trim:	0.0 gal,	0.0 lb	Water Added:	0 gal,	0.0 lb	Addable Water:	10 gal, 84.8 lb
W/C Ratio:	0.57		Max Water:	55 gal,	458.1 lb		
Total Weight:		6056 lb	Mixing Time:	3		Ticket: 207	

Date:2025-02-07

Ticket No.: 206

Batch Size: 1.00

Time:15:30

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1220 lb	* 9.71%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1200 lb	* 7.82%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1460 lb	* 31.06%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	210 lb	-4.98%		
Cement 2	210 lb	0 lb	2.00/ 1.00	222	222	225 lb	1.35%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	215 lb	-3.59%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	33.0 oz	* 3.12%		
Admix 3			2.00/ 2.00	33.0	33.0	33.0 oz	0.00%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	39 gal	* 2.63%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.57

Total Weight: 6168 lb

Actual: 44.1 gal, 367.6 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 2.32%

Addable Water: 11 gal, 90.5 lb

Ticket: 206

Date:2025-02-07

Ticket No.: 208

Batch Size: 1.00

Time:15:35

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	1148	1300 lb	* 13.24%	3.40%	5.13 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	1112	1280 lb	* 15.11%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	1113	1220 lb	* 9.61%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	1114	1160 lb	* 4.13%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	221	215 lb	-2.71%		
Cement 2	215 lb	0 lb	2.00/ 1.00	222	222	220 lb	-0.90%		
Cement 3	435 lb	0 lb	2.00/ 1.00	223	223	230 lb	3.14%		
Admix 1			2.00/ 2.00	31.0	31.0	32.0 oz	* 3.23%		
Admix 2			2.00/ 2.00	32.0	32.0	32.0 oz	0.00%		
Admix 3			2.00/ 2.00	33.0	33.0	34.0 oz	* 3.03%		
Admix 4			2.00/ 2.00	34.0	34.0	34.0 oz	0.00%		
Admix 5			2.00/ 2.00	35.0	35.0	35.0 oz	0.00%		
Admix 6			2.00/ 2.00	36.0	36.0	37.0 oz	* 2.78%		
Water			2.00/ 1.00	44	38	38 gal	0.00%		

Water Details:

Target: 43.1 gal, 359.3 lb

Water Trim: 0.0 gal, 0.0 lb

W/C Ratio: 0.54

Total Weight: 5954 lb

Actual: 43.1 gal, 359.3 lb

Water Added: 0 gal, 0.0 lb

Max Water: 55 gal, 458.1 lb

Mixing Time: 3

Variance: 0.00%

Addable Water: 12 gal, 98.9 lb

Ticket: 208

Date:2025-02-07

Ticket No.:209

Batch Size:10.00

Time:15:36

Truck No.:N/A

Mix No.:TEST

Product:Test for simulator

Plant:1

Mixer No.:1

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Aggregate 1	0 lb	0 lb	2.00/ 1.00	1111	11487	11540 lb	0.46%	3.40%	45.55 gal
Aggregate 2	0 lb	0 lb	0.00/ 0.00	1112	11120	11340 lb	* 1.98%	0.00%	0.00 gal
Aggregate 3	0 lb	0 lb	0.00/ 0.00	1113	11130	11220 lb	* 0.81%	0.00%	0.00 gal
Aggregate 4	0 lb	0 lb	0.00/ 0.00	1114	11140	11140 lb	0.00%	0.00%	0.00 gal
Cement 1	0 lb	0 lb	2.00/ 1.00	221	2210	2200 lb	-0.45%		
Cement 2	2200 lb	0 lb	2.00/ 1.00	222	2220	2255 lb	1.58%		
Cement 3	4455 lb	0 lb	2.00/ 1.00	223	2230	2280 lb	2.24%		
Admix 1			2.00/ 2.00	31.0	310.0	305.0 oz	-1.61%		
Admix 2			2.00/ 2.00	32.0	320.0	315.0 oz	-1.56%		
Admix 3			2.00/ 2.00	33.0	330.0	325.0 oz	-1.52%		
Admix 4			2.00/ 2.00	34.0	340.0	335.0 oz	-1.47%		
Admix 5			2.00/ 2.00	35.0	350.0	344.0 oz	-1.71%		
Admix 6			2.00/ 2.00	36.0	360.0	353.0 oz	-1.94%		
Water			2.00/ 1.00	44	394	392 gal	-0.51%		

Water Details:

Target:439.6 gal, 3661.5 lb

Water Trim:0.0 gal, 0.0 lb

W/C Ratio:0.54

Total Weight:55364 lb

Actual:437.6 gal, 3644.8 lb

Water Added:0 gal, 0.0 lb

Max Water:550 gal, 4581.5 lb

Mixing Time:4

Variance:-0.46%

Addable Water:112 gal, 936.7 lb

Ticket:209

Date:2025-02-07

Ticket No.: 0

Batch Size: 10.00

Time:15:37

Truck No.: N/A

Mix No.: TEST

Product: Test for simulator

Plant: 1

Mixer No.: 0

Material	Scale	Tare	Tolerance %	Design	Target	Actual	Variance	Moisture	Actual Water
Water Details:									
Target:	0.0 gal,	0.0 lb	Actual:	0.0 gal,	0.0 lb		Variance:	0.00%	
Water Trim:	0.0 gal,	0.0 lb	Water Added:	0 gal,	0.0 lb		Addable Water:	550 gal,	4581.5 lb
W/C Ratio:	0.00		Max Water:	550 gal,	4581.5 lb				
Total Weight:		0 lb					Ticket: 0		